



Safety Data Sheet
SX-PLUS® (FINE/COARSE)

SECTION 1 – IDENTIFICATION

PRODUCT NAME: SX-PLUS® FINE/COARSE
EFFECTIVE DATE: August 3, 2018
CHEMICAL FAMILY/ Drilling Fluid Additive (Granular Graphite)
FORMULA: Proprietary
U.S. MANUFACTURER: SUN DRILLING PRODUCTS CORP.
d/b/a SUN SPECIALTY PRODUCTS
503 Main Street
Belle Chasse, LA 70037

CANADIAN IMPORTER : SUN DRILLING PRODUCTS CORP.
d/b/a SUN SPECIALTY PRODUCTS
#102 6660 Taylor Drive
Red Deer, AB TYP IY3
(403)341-5046 (for 24-hr Emergency call Chemtrec)

CHEMTREC
24 Hour CHEMICAL EMERGENCY – Spill, Leak, Fire, Accident
USA/Canada Call 1-800 424-9300

SECTION 2 – HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture:

This substance is classified as hazardous as a combustible dust by the United States 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Hazardous Products Regulation (HPR) 2015. The signal word, hazard statement and precautionary statements in the United States and Canada are:

2.2 Label Elements

Classification: Combustible Dust HPR Category 1(a)

Signal Word: Warning

Hazard Statement: May form combustible dust concentrations in air.

Precautionary Statements: Keep away from all ignition sources including heat, sparks and flame. No smoking. Prevent dust accumulations to minimize explosion hazard.

GHS Classification: Not a hazardous substance according to Regulation (EC) 1272/2008 (CLP), its various amendments and adaptations and Directive 67/548/EEC.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	PERCENT	CAS NUMBER	PEL*
Graphite	50-100	7782-42-5	15 mg/m ³ , total dust 5 mg/m ³ , respirable fraction



Safety Data Sheet
SX-PLUS® (FINE/COARSE)

Carbon	50-100	7440-44-0	15 mg/m ³ , total dust 5 mg/m ³ , respirable fraction
--------	--------	-----------	--

*Table Z-1 8-hr Time Weighted Avg

The criteria for listing components in the composition are as follows: Carcinogens are listed when present at 0.1% or greater; components which are otherwise hazardous according to OSHA are listed when present at 1.0% or greater. Non-hazardous components may be listed at 3.0% or greater if not proprietary in nature. This is not intended to be complete compositional disclosure. Refer to section 14 for applicable states right-to-know and other regulatory information.

EMERGENCY OVERVIEW

APPEARANCE/ODOR:

Black Granules/Odorless

SHORT TERM EXPOSURE

GENERAL: No significant adverse health effects are expected to develop with normal use.

EYES: Slight to moderate mechanical irritant on direct contact.

SKIN: Persons with pre-existing skin disorders may experience slight mechanical irritation.

INHALATION: No adverse effects with normal use. Repeated or prolonged overexposure may result in respiratory symptoms, particularly in those with a pre-existing respiratory condition.

INGESTION: No significant adverse health effects are expected to develop if only small amounts (less than a mouthful) are swallowed.

LISTED CARCINOGEN: **NTP RoC-** Not listed. **IARC MONOGRAPHS** – Not classified.

SECTION 4 – FIRST AID MEASURES

EYE CONTACT - In case of eye contact, flush immediately with water for a minimum of 15 minutes; seek medical attention if contact irritation persists.

SKIN CONTACT – If contact with skin results in irritation, wash thoroughly with soap and water.

INHALATION - If cough, shortness of breath or other breathing problems occur, move to fresh air. Seek medical attention if symptoms develop.

INGESTION - If swallowed, do not induce vomiting; seek immediate medical attention.

SECTION 5 – FIRE FIGHTING MEASURES

FLASHPOINT: 356°C, 673°F

EXTINGUISHING MEDIA: Use alcohol-resistant foam, carbon dioxide, dry chemical or water spray. A fog is recommended if water is used. DO NOT USE a solid water stream as it may scatter and spread fire. DO NOT USE high-pressure media which could cause formation of a potentially explosive dust-air mixture.

DECOMPOSITION PRODUCTS: Carbon Oxides. Sulphur oxides.

LOWER FLAME LIMIT: NA

HIGHER FLAME LIMIT: NA

UNUSUAL FIRE AND EXPLOSION HAZARDS: Product is electrically conductive. Accumulations of dust resulting from processing activities, in the presence of an ignition source, can create a potential dust explosion hazard. Good housekeeping is essential to mitigating combustible dust hazard.



Safety Data Sheet SX-PLUS® (FINE/COARSE)

FIRE FIGHTING EQUIPMENT: Fire Fighters and others exposed to products of combustion should wear self-contained breathing apparatus. Equipment should be thoroughly decontaminated after use.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

CHEMICAL EMERGENCY NUMBER (24 HOURS): CHEMTREC 1-800-424-9300 USA/CANADA

SPILL: In case of spill, if product cannot be collected and reused by sweeping or vacuuming, dispose of in accordance with applicable regulations. Minimize dust generation and accumulation. Avoid spillage into drains, surface, and ground water.

RCRA STATUS: Not regulated. Product as sold would be a nonhazardous, solid industrial waste.

SECTION 7 – HANDLING AND STORAGE

Avoid contact with skin and eyes. Avoid dust formation and accumulation. Avoid creating dust clouds by sweeping or use of compressed air. Good housekeeping is essential in reducing possible slipping and combustible dust hazards.

HANDLING AND STORAGE: Store away from heat and sources of ignition. Take precautionary measures (bonding and grounding) against static discharges. Do not store with strong oxidizing agents. Provide sufficient general ventilation during and after application. Avoid prolonged or repeated contact with skin, eyes and clothing. After handling this product, wash hands before eating, drinking or smoking.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

GENERAL CONSIDERATIONS:

Consider the potential hazards of this material (see section 3), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting protective equipment.

EYE PROTECTION: Use close-fitting safety glasses, goggles or safety glasses with faceshield to prevent particles from contacting eye and causing particulate irritation.

RESPIRATORY PROTECTION: Not normally needed. Use NIOSH approved respirator for particulates if exposure is unknown or exceeds any permissible limits.

PROTECTIVE GLOVES: Wear impervious gloves.

VENTILATION: General or Local exhaust.

LOCAL EXHAUST: Recommended in closed places.

Use NIOSH/MSHA approved respiratory protection equipment when airborne exposure limits are exceeded (see below). Consult the respirator manufacturer to determine appropriate type of equipment for a given application. Observe respirator use limitations specified by NIOSH/MSHA or the manufacturer. Respiratory protection programs must comply with 29 CFR 1910.134.

VENTILATION NOTES: Provide general or local ventilation to control exposure levels below airborne exposure limits (see below). The use of local mechanical exhaust ventilation is preferred at sources of air contamination such as open process equipment. Consult NFPA Standard 91 for design of exhaust systems.

ACGIH THRESHOLD LIMIT VALUE: 2.0 mg/m³ (respirable) for Graphite; 10 mg/ m³ (respirable) for Carbon

PROTECTIVE EQUIPMENT: HMIS PERSONAL PROTECTION: B: Safety Glasses, Gloves



Safety Data Sheet
SX-PLUS® (FINE/COARSE)

The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/ODOR:	Dark gray to black granules/Odorless
pH:	N/D
MELTING POINT:	N/D
FREEZING POINT:	N/A
BOILING POINT:	7592°F; 4200°C
FLASHPOINT:	356°C, 673°F
EVAPORATION RATE:	N/A
FLAMMABILITY (SOLIDS & GASES)	ND
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:	ND
VAPOR PRESSURE@20°C:	N/A
VAPOR DENSITY (AIR = 1):	N/A
RELATIVE DENSITY:	N/A
SPECIFIC GRAVITY @20C (water=1)	2.25
SOLUBILITY IN WATER:	Insoluble
PARTITION COEFFICIENT – N-OCTANOL/WATER	N/A
AUTO IGNITION TEMPERATURE:	>730 °C
DECOMPOSITION TEMPERATURE:	N/D
VISCOSITY:	N/A

SECTION 10 – STABILITY AND REACTIVITY

STABILITY:	Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
HAZARDOUS POLYMERIZATION:	Will Not Occur.
CONDITIONS TO AVOID:	Minimize dust generation and accumulation.
INCOMPATIBILITY:	Avoid strong oxidizing agents.

SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: There is no evidence associating single exposure to the substance with a consistent and identifiable toxic effect.

SKIN CORROSION/IRRITATION: Persons with pre-existing skin disorders may experience slight irritation.

SERIOUS EYE DAMAGE/IRRITATION: Granules may be a mechanical irritant to eyes on direct contact.

GERM CELL MUTAGENICITY: ND

CARCINOGENICITY: ND

REPRODUCTIVE TOXICITY: ND



Safety Data Sheet
SX-PLUS® (FINE/COARSE)

STOT-SINGLE EXPOSURE: There is no evidence associating single exposure to the substance with a consistent and identifiable toxic effect.

STOT- REPEATED EXPOSURE: There is no evidence associating repeated exposure to the substance with a consistent and identifiable toxic effect.

ASPIRATION HAZARD: N/A

SECTION 12 – ECOLOGICAL INFORMATION

Data from laboratory studies and from scientific literature is noted below if available.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Follow applicable governing regulations for disposal. Product as sold is nonhazardous per RCRA.

SECTION 14 – TRANSPORTATION INFORMATION

The data provided in this section is for information only. The description shown may not apply to all shipping situations. Consult 49 CFR, or appropriate regulations to properly classify your shipment for transportation.

UN/NA NUMBER:	NOT REGULATED
PROPER SHIPPING NAME:	N/A
HAZARD CLASS AND LABEL:	N/A
REPORTABLE QUANTITY:	None
HARMONIZED CODE/TARIFF CODE	2504.90.0000
PACKAGING SIZE:	50# Bags

SECTION 15 – REGULATORY INFORMATION

SARA 311 CATEGORIES:

EPA ACUTE:	No
EPA CHRONIC:	No
EPA IGNITABILITY:	No
EPA REACTIVITY:	No
EPA SUDDEN RELEASE OF PRESSURE:	No
CERCLA RQ VALUE:	None
SARA TPQ:	None
SARA RQ:	None
EPA HAZARD WASTE#:	None
CLEAN AIR:	N/A
CLEAN WATER:	N/A
SARA SECTION 313:	No
NFPA HEALTH:	1
NFPA FLAMMABILITY:	0



Safety Data Sheet
SX-PLUS® (FINE/COARSE)

NFPA REACTIVITY:	0
DEA Chemical Trafficking Act:	N/A
TSCA STATUS:	All ingredients in this product are on the TSCA Inventory List.
CANADIAN DOMESTIC SUBSTANCES LIST	All substances contained in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.

SECTION 16 – OTHER INFORMATION

SDS Revision Date: August 3, 2018

FOOT NOTES: N/A NOT APPLICABLE
> = GREATER THAN

ND – NO DATA AVAILABLE
< = LESS THAN

REVISION STATEMENT: Changes have been made throughout this Safety Data Sheet. Please read the entire document.

DISCLAIMER:

Although the information and recommendations set forth herein (hereinafter “Information”) are presented in good faith and believed to be correct as of the date hereof, the Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving this SDS will make their own determination as to its suitability for their intended purpose prior to use. Since the product is within the exclusive control of the user, it is the user’s obligation to determine the conditions of safe use of this product. Such conditions should comply with all Federal Regulations concerning the Product.

NO REPRESENTATIONS OR WARRANTIES EITHER EXPRESSED OR IMPLIED OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THIS INFORMATION REFERS.

This is the LAST PAGE of this SDS