



Safety Data Sheet DURAMOD*

1. Identification

1.1 Product identifier

Product name DURAMOD*
Product code PID19433

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Viscosifier.
Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier

M-I L.L.C.
P.O.Box 42842
Houston, TX 77242
www.miswaco.slb.com
Telephone: 1 281-561-1511

Schlumberger Canada, Ltd.
200, 125 - 9th Avenue SE
Calgary, Alberta T2G 0P6, Canada

E-mail address SDS@slb.com

Prepared by

Global Regulatory Compliance - Chemicals (GRC - Chemicals)

1.4 Emergency Telephone Number

Emergency telephone (24 Hour) Asia Pacific +65 3158 1074, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, USA +1 281 561 1600, Canada +1 800 579 7421, Argentina: +54 11 5984 3690, Brazil : +55 11 3197 5891

2. Hazards Identification

2.1 Classification of the substance or mixture

GHS - Classification

Health hazards

Carcinogenicity	Category 1A
Specific target organ toxicity - Repeated exposure	Category 2

Environmental hazards Not classified

Physical Hazards Not classified

2.2 Label elements



Signal word

WARNING

Hazard Statements

H350 - May cause cancer

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust, fume, gas, mist, vapors, spray

P280 - Wear protective gloves and eye/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P314 - Get medical attention if you feel unwell

P501 - Dispose of contents and container to an approved waste disposal plant

Hazards not otherwise classified

None known

Unknown acute toxicity

Not applicable.

3. Composition/information on Ingredients

3.1 Substances

Chemical Name	CAS No	Weight-%
Crystalline silica (impurity)	14808-60-7	<3

3.2 Mixtures

Not applicable

Comments

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First Aid Measures

4.1 First aid measures

Inhalation

If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

Ingestion	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if irritation persists.
Eye Contact	Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General advice The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

Symptoms

Inhalation Please see Section 11. Toxicological Information for further information.

Ingestion Please see Section 11. Toxicological Information for further information.

Skin contact Please see Section 11. Toxicological Information for further information.

Eye contact Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing media appropriate for surrounding material.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

None known.

5.3 Advice for firefighters

Special protective equipment and precautions for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. See also section 8. Material becomes slippery when wet. Use caution if wet.

Advice for non-emergency responders

Evacuate non-essential personnel.

Advice for emergency responders

Evacuate personnel to safe areas. Use non-slip safety shoes in areas where spills or leaks can occur. Wear respiratory protection. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for containment

Cover powder spill with plastic sheet or tarp to minimize spreading. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation. After cleaning, flush away traces with water.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid dust formation. Material becomes slippery when wet. Use caution if wet.

Hygiene measures

Use good work and personal hygiene practices to avoid exposure. When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions Ensure adequate ventilation. Keep airborne concentrations below exposure limits.

Storage precautions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Avoid contact with: Strong oxidizing agents.

Packaging materials Use specially constructed containers only.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Component Information

Chemical Name	ACGIH TLV	OSHA PEL	Argentina - Occupational	Brazil - Occupational Exposure Limits -	Mexico - Occupational
---------------	-----------	----------	--------------------------	---	-----------------------

			Exposure Limits - TWAs (CMPs)	TWAs (LTs)	Exposure Limits - TWAs (LMPE-PPTs)
Crystalline silica (impurity)	0.025 mg/m ³	50 µg/m ³ TWA respirable fraction	0.05 mg/m ³ TWA	Not determined	0.025 mg/m ³ TWA VLE-PPT (respirable fraction)

Crystalline silica (impurity)
OSHA - Final PELs - Table Z-3 Mineral Dusts
(250)/(%SiO₂ + 5) mppcf TWA, respirable fraction; (10)/(%SiO₂ + 2) mg/m³ TWA, respirable fraction

IDLH (Immediately Dangerous to Life or Health)

This product contains substance(s) classified as Immediately Dangerous to Life or Health (IDLH) by the US National Institute for Occupational Safety and Health (NIOSH). The purpose of establishing an IDLH value is to ensure that the worker can escape from a given contaminated environment in the event of failure of the most protective respiratory protection equipment. In the event of failure of respiratory protection equipment every effort should be made to exit immediately.

Chemical Name	IDLH (Immediately Dangerous to Life or Health)
Crystalline silica (impurity) 14808-60-7	50 mg/m ³ IDLH (respirable dust)

8.2 Exposure controls

A risk assessment is recommended to be performed by a qualified and trained personnel to analyze the worksite and recommends the appropriate controls such as engineering controls, work practice controls, and administrative controls as primary means of reducing employee exposure. When there is a remaining hazards after applying the primary controls, Personal Protective Equipment (PPE) must be used.

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering Controls

Ensure adequate ventilation.

Personal protective equipment

- Eye protection** Tightly fitting safety goggles.
- Hand protection** Use protective gloves made of: Nitrile Neoprene gloves Frequent change is advisable
- Respiratory Protection** All respiratory protection equipment should be used within a comprehensive respiratory protection program that meets the requirements of 29 CFR 1910.134 (U.S. OSHA Respiratory Protection Standard) or local equivalent.If exposed to airborne particles of this product use at least a NIOSH-approved N95 half-mask disposable or re-useable particulate respirator. In work environments containing oil mist/aerosol use at least a NIOSH-approved P95 half-mask disposable or re-useable particulate respirator.
- Skin and body protection** Wear suitable protective clothing and gloves, Eye wash and emergency shower must be available at the work place.
- Hygiene Measures** Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state	Solid
Appearance	Granules
Color	Light gray - Tan
Odor	Earthy
Odor threshold	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	Not applicable	
pH @ dilution	No information available	
Melting point	No information available	
Boiling point/range	No information available	
Flash point	No information available	
Evaporation rate (BuAc =1)	No information available	
Flammability	Not applicable	
Explosion limits:		
Upper explosion limit	No information available	
Lower explosion limit	No information available	
Vapor pressure	No information available	
Relative Vapor Density	No information available	
Specific gravity	2.2 - 2.4	
Bulk density	No information available	
Water solubility	Insoluble in water	
Solubility in other solvents	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Partition Coefficient (n-octanol/water)	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	
9.2 Other information		
Pour point	No information available	
Molecular weight	No information available	
VOC content(%)	No information available	
Density and/or Relative Density	No information available	

Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

10. Stability and Reactivity

10.1 Reactivity

No specific reactivity hazards associated with this product.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerization

Hazardous polymerization does not occur.

10.4 Conditions to avoid

Avoid dust formation. Protect from moisture.

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

See Section 5.2.

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system. May cause damage to organs through prolonged or repeated exposure.
Eye contact	Dust may cause mechanical irritation.
Skin contact	Repeated exposure may cause skin dryness or cracking.
Ingestion	Ingestion may cause stomach discomfort.

Toxicology data for the components

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica (impurity)	No data available	No data available	No data available

Chemical Name	IARC Group 1 or 2	ACGIH - Carcinogens	OSHA listed carcinogens	NTP
Crystalline silica (impurity)	Group 1; Monograph 100C [2012] Monograph 100C [2012] (listed under Crystalline silica inhaled in the form of quartz or cristobalite from occupational sources); Monograph 68 [1997] Group 1; Monograph 68 [1997]	A2 Suspected Human Carcinogen	Present	Known Human Carcinogen

Delayed and immediate effects and chronic effects from short and long term exposure

Sensitization	This product does not contain any components suspected to be sensitizing.
Mutagenic effects	This product does not contain any known or suspected mutagens.
Carcinogenicity	Contains a known or suspected carcinogen.

Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.
Developmental toxicity	Not known to cause birth defects or have a deleterious effect on a developing fetus.
Routes of Exposure	Inhalation. Skin contact. Eye contact.
Routes of entry	Inhalation.
Specific target organ toxicity - Single exposure	Not classified
Specific target organ toxicity - Repeated exposure	Category 2.
Target organ effects	Lungs.
Aspiration hazard	Not classified.

12. Ecological Information

12.1 Toxicity

Toxicity to algae

This product is not considered toxic to algae.

Toxicity to fish

This product is not considered toxic to fish.

Toxicity to daphnia and other aquatic invertebrates

This product is not considered toxic to invertebrates.

Toxicology data for the components

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Crystalline silica (impurity)	LC50 Danio rerio (zebra fish) : > 10000 mg/l 96h	EC50: > 1000 mg/l 72h	LC50 Daphnia magna (Water flea): > 10000 mg/l 24h

12.2 Persistence and degradability

Not Applicable - Inorganic chemical.

12.3 Bioaccumulative potential

Not Applicable - Inorganic chemical.

12.4 Mobility

Insoluble in water.

12.5 Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)
This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

12.6 Other adverse effects.

None known.

13. Disposal Considerations

13.1 Waste treatment methods

Disposal Method Disposal should be made in accordance with federal, state and local regulations.

Contaminated packaging Empty containers should be taken for local recycling, recovery or waste disposal.

14. Transport information

14.1. UN number

UN No. (DOT)	Not regulated
UN No. (MT/ANTT)	Not regulated
UN No. (TDG)	Not regulated
UN/ID No. (ADR/RID/ADN/ADG)	Not regulated
UN No. (IMDG/ANTAQ)	Not regulated
UN No. (ICAO/ANAC)	Not regulated
UN No. (DPC)	Not regulated

14.2. UN proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

14.3 Hazard class(es)

DOT Hazard class	Not regulated
ANTT Hazard class	Not regulated
TDG Hazard class	Not regulated
ADR/RID/ADN/ADG Hazard class	Not regulated
IMDG/ANTAQ Hazard class	Not regulated
ICAO/ANAC Hazard class/division	Not regulated
DPC Hazard class	Not regulated

14.4 Packing group

DOT Packing group	Not regulated
ANTT Packing group	Not regulated
TDG Packing group	Not regulated
ADR/RID/ADN/ADG Packing group	Not regulated
IMDG/ANTAQ Packing group	Not regulated
ICAO/ANAC Packing group	Not regulated
DPC Packing group	Not regulated

14.5 Environmental hazard

Marine pollutant	No
------------------	----

14.6 Special precautions

Not applicable

14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

Please contact SDS@slb.com for info regarding transport in Bulk.

15. Regulatory Information

International inventories

USA (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Japan (ENCS)	Does not comply
China (IECSC)	Complies
Australia (AICS)	Complies
Korean (KECL)	Complies
New Zealand (NZIoC)	Complies

Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

IMPORTS, Canada

No import volume restrictions.

U.S. Federal and State Regulations

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

Chemical Name	SARA 302 / TPQs	SARA 313	CERCLA RQ
Crystalline silica (impurity)	N/A	N/A	N/A

California Proposition 65

WARNING



This product can expose you to chemicals including those listed below, which is [are] known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Chemical Name	California Proposition 65
Crystalline silica (impurity) 14808-60-7	Carcinogen

Canadian Classification

This Safety Data Sheet has been prepared in compliance with the Hazardous Products Regulations.

Brazil Regulation	This SDS was prepared in accordance with Brazil law ABNT NBR 14725:2014.
Federal Police	Not determined
Army	Not determined
ANVISA	Not determined
MTE (NR 15)	No information available

16. Other Information

Supersedes date	29/Apr/2021
Revision date	10/Nov/2021
Version	4
This SDS has been revised in the following section(s)	1, 3, 15, 16 No changes with regard to classification have been made.
HMIS classification	
Health	1*
Flammability	0
Physical hazard	0
PPE	X

*A mark of M-I L.L.C., a Schlumberger Company

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.